AQUARIUS RUBBER (AUST) PTY LTD

Red Back Cutting Lubricant

Date of issue: 1 November 2016



1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product identification: Red Back Cutting Lubricant

Code: RED 403

Application of the substance / the mixtureLubrication of cutting tools

Details of the supplier of the safety data sheet · Manufacturer/Supplier

Aquarius Rubber (Aust) PTY LTD

ABN: 79 502 567 531 46 Rushdale Street KNOXFIELD VIC 3180 Phone: (03) 9763 0044 Facsimile: (03) 9764 1266

E-mail: admin@aquariusdist.com.au Web-Site: http://www.aquariusdist.com.au

SECTION 2 HAZARDS IDENTIFICATION

Poisons Schedule: Not scheduled

Hazard Classification Not classified as dangerous in accordance with

NOHSC.

Signal Word N/A

Precautionary Statement: While the product is not considered hazardous it

should be handled in accordance with good industrial

hygiene and safety practices.

Prevention: Provide good ventilation to work area. Wash hands

well before eating.

Storage: Store in a well ventilated dry area, keep lid securely

closed.

Store away from heat source.

Disposal:

National Australian Transport Commission

(Australia)

Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADDG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the

Australian Code for the

Transport of Dangerous Goods by Road & Rail (ADG

Code)

UN No: None allocated

Dangerous Goods Classification: None allocated

Packing Group: None allocated

Hazchem Code: None allocated

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Chemical Entity CAS No. Proportion % (w/w)

A) A proprietary mixture of paraffinic, and aromatic hydrocarbons, naphthenic

B) Paraffin Wax 8002-74-2 : 10 - <30

C) Other ingredients determined not to be

hazardous.

N/A <10

N/A >60

4. FIRST AID MEASURES

Health Effects - Acute

Ingestion: Ingestion of large amounts may irritate the

gastric tract causing nausea and vomiting

Eye Contact: Contact with eyes may cause mild irritation, causing

stinging, blurred vision and lachrymation.

Skin Contact: Skin contact may cause mild irritation showing up as

reddening of the skin.

Inhalation: vapours generated at elevated temperatures may

irritate nose and throat.

Health Effects - Chronic: This product has not been tested for chronic health

effects. Adverse effects are not expected based on

available data of the constituent ingredients.

First Aid Measures:

If Swallowed: If swallowed, DO NOT induce vomiting.

Immediately seek medical advice or contact the

Poisons Information Centre.

If in the eye: Flood eyes with plenty of water for 15 minutes, holding

eyelids open. If irritation develops seek medical

advice.

If on the skin: Remove contaminated clothing and wash

affected skin areas thoroughly with soap and water. Wash contaminated clothing before reusing. Seek

medical advice if irritation develops.

SAFETY DATA SHEET - Red Back Cutting Lubricant

If Inhaled:	Remove affected person from contaminated area to fresh air. If adverse health effects are noted, seek medical advice immediately.
First Aid Facilities:	Eye wash fountains and safety showers should be available for emergency use.
Advice to Doctor:	Treat symptomatically
5. FIRE FIGHTING MEASURES	
Extinguishing Media:	Dry chemical, carbon dioxide, water, fog and foam. Note: Water, fog and foam may cause frothing and spattering. DO NOT use water jet as an extinguisher.
Hazardous Products of Combustion:	Combustion products include carbon dioxide, carbon monoxide, oxides of Sulphur, metal oxides.
Special Fire Fighting Instructions:	DO NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.
Personal Protective Equipment:	Fire fighters should wear a positive-pressure self- contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trouser, boots and gloves).
Flash Point:	>178 Deg C.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures:

Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (see section: "Exposure controls/personal protection"). Follow all fire fighting procedures (see section: "Fire-fighting measures").

Methods and materials for containment and clean-up:

If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Avoid contact of spilt material with soil and prevent runoff entering surface waterways. See section 13 for Waste Disposal Information.

7. HANDLING AND STORAGE

Handling:

Storage:

Avoid prolonged or repeated contact with skin. Wash

Keep container tightly closed. Keep container in a cool, well-ventilated area. Store under cover away from heat and sources of ignition. Reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

Additional information-Storage:

Classified as combustible liquid Class C2 (AS 1940).

Product contaminated rags paper or material used to absorb spillages represent a fire hazard and should not be allowed to accumulate. Dispose of safely immediately after use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ingredient name Occupational exposure limits: Base oil - unspecified NOHSC (Australia). TWA: 5

mg/m3 8 hour(s). Form: Oil mist, mineral.

Control Measures: Provide exhaust ventilation or other engineering

controls to keep the relevant airborne concentrations below their respective occupational exposure limits.

Hygiene measures: Wash hands, forearms and face thoroughly after

handling chemical products, before eating, smoking and using the lavatory and at the end of the working

period.

Biological Limit Values: No biological limit allocated.

Personal protective equipment Hands: Wear protective gloves if prolonged or repeated

contact is likely. Chemical resistant gloves.

Recommended: Nitrile gloves.

Eyes: Safety glasses with side shields.

Skin and Body: Avoid prolonged or repeated contact with skin. Wear

protective clothing if prolonged or repeated contact is

likely.

Avoid breathing of vapours, mists or spray. Select and

use respirators in accordance with AS/NZS 1715/1716. When mists or vapours exceed the exposure standards then the use of the following is recommended: Approved respirator with organic

vapour and dust/mist (Type P1) filters. Filter capacity

and respirator type depends on exposure level.

9. PHYSICAL AND CHEMICAL PROPERTIES

Respiratory system:

Appearance: Stiff, red gel with a very low, characteristic odour.

Melting Point:Not AvailableBoiling Range:Not establishedVapour Pressure:Not established

Specific Gravity: 0.85 **Flash Point:** >178 °C

Flammable Limit LEL:

Flammable Limit UEL:

Not established
Not established
Insoluble

Other Properties: None that are relevent

Vapour Density (Air = 1) >1

10. STABILITY AND REACTIVITY

Hazardous polymerization: Will not occur

Stability: This product is stable

Conditions to Avoid: Keep away from fire, extreme heat, and oxidising

compounds.

Incompatibility with various

substances/Hazardous Reactions:

Reactive with oxidizing compounds.

Hazardous Decomposition Products: Carbon dioxide, carbon monoxide

11. TOXICOLOGICAL INFORMATION

Effects and symptoms Eyes: Unlikely to cause more than transient stinging or

redness if accidental eye contact occurs.

Skin: Prolonged or repeated contact can de-fat the skin and

lead to irritation and/or dermatitis.

Inhalation: Inhalation of oil mist or vapours at elevated

temperatures may cause respiratory irritation.

Ingestion: Unlikely to cause harm if accidentally swallowed in

small doses, though larger quantities may cause

nausea and diarrhoea.

Carcinogenic effects: No component of this product at levels greater than or

equal to 0.1% is identified as a carcinogen by ACGIH, the International Agency for Research on Cancer (IARC), the European Commission (EC), or the National Occupational Health and Safety Commission

(Australia).

12. ECOLOGICAL INFORMATION

Ecotoxicity: Not classified as environmentally hazardous in

accordance with the 'Approved Criteria for Classifying Hazardous Substances' [NOHSC (1008)/2004 as

amended and adapted].

Biodegradability: The biodegradability of this material has not been

determined.

Mobility: Spillages may penetrate the soil causing ground water

contamination.

13. DISPOSAL CONSIDERATIONS

Disposal Consideration / Waste information:

Avoid contact of spilled material and runoff with soil and surface waterways. Consult an environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, treatment, storage or disposal facilities. Dispose of in accordance with all applicable local and national regulations.

Special Precautions for Landfill or Incineration: No additional special precautions identified.

14. TRANSPORT INFORMATION

Not classified as dangerous for transport (ADG,

IMDG, ICAO/IATA).

Special precautions for user: See section 7 of this data sheet for additional handling

information.

15. REGULATORY INFORMATION

Standard for the Uniform Scheduling of Drugs

and Poisons:

Not regulated.

Control of Scheduled Carcinogenic Substances Ingredient name Schedule No Listed Substance.

16. OTHER INFORMATION

Key to abbreviations

AMP Acceptable Maximum Peak

ACGIH American Conference of Governmental Industrial

Hygienists, an agency that promulgates exposure

standards

ADG Australian Code for the Transport of Dangerous

Goods by Road and Rail

CAS Number Chemical Abstracts Service Registry Number

HAZCHEM Code Emergency action code of numbers and letters which

gives information to emergency services. Its use is required by ADG Code for Dangerous Goods in bulk.

ICAO International Civil Aviation Organization.

IATA International Air Transport Association, the

organization promulgating rules governing shipment

of goods by air.

IMDG International Maritime Organisation Rules, rules

governing shipment of goods by water.

IP 346

A chemical screening assay for dermal toxicity. The European Commission has recommended that Method IP 346 be used as the basis for labeling certain lubricant oil base stocks for carcinogenicity. The EU Commission has stipulated that the classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346. (See note L, European Commission Directive 67/548/EEC as amended and adapted.) DMSO is a solvent.

NOHSC

National Occupational Health & Safety Commission, Australia

TWA STEL Time weighted average Short term exposure limit

UN Number

United Nations Number, a four digit number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods.

Note:

The information in this document is given to provide details of known hazards and is prepared from sources believed reliable, and can only be used for safety and health purposes. Aquarius Rubber (Aust) Pty Ltd makes no warranty that it is in all cases correct and sufficient. Prepared along Worksafe guidelines. This material safety data sheet can only be copied in its entirety without any alterations.