

**XTREME FLEX WHITE**  
Revision Number 3

Revision date 20-Aug-2019  
Supersedes Date: 10-Jul-2019

## **Section 1: Identification: Product identifier and chemical identity**

### **Product identifier**

**Product Name** XTREME FLEX WHITE

**Product Code(s)**

30610668  
30610668

### **Other means of identification**

**Pure substance/mixture** Mixture

### **Recommended use of the chemical and restrictions on use**

**Recommended use** Adhesives

**Uses advised against** No information available

### **Details of manufacturer or importer**

#### **Supplier**

Bostik Australia Pty Ltd  
51-71 High Street,  
Thomastown Victoria  
Australia  
Tel: 613 9279-9333  
Fax: 613 9279-9342

**ABN:** 79 003 893 838

**E-mail address** au-bostik-sds@bostik.com

### **Emergency telephone number**

Emergency telephone number 24-hr Emergency: 1800 033 111

## **Section 2: Hazard(s) identification**

### **GHS Classification**

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia

### **Label elements**

#### **Hazard statements**

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia

#### **Other hazards which do not result in classification**

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

#### **Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)**

# SAFETY DATA SHEET

XTREME FLEX WHITE  
Revision Number 3

Revision date 20-Aug-2019  
Supersedes Date: 10-Jul-2019

No poisons schedule number allocated

Poison Schedule Number Not applicable

## Section 3: Composition and information on ingredients, in accordance with Schedule 8

### Substance

Not applicable

### Mixture

Non-hazardous ingredients	Proprietary	Balance
---------------------------	-------------	---------

## Section 4: First aid measures

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26  
Poisons Information Center, New Zealand: 0800 764 766

### FIRST AID

**Inhalation** Remove to fresh air.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin contact** Wash skin with soap and water.

**Ingestion** Call a physician immediately. Rinse mouth thoroughly with water. Small amounts of toxic methanol are released by hydrolysis.

### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Treat symptomatically.

## Section 5: Firefighting measures

### Suitable extinguishing media

**Suitable extinguishing media** Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Unsuitable extinguishing media** No information available.

### Specific hazards arising from the chemical

**Specific hazards arising from the chemical** No information available.

**Hazardous combustion products** Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

### Special protective actions for fire-fighters

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# SAFETY DATA SHEET

XTREME FLEX WHITE  
Revision Number 3

Revision date 20-Aug-2019  
Supersedes Date: 10-Jul-2019

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

**For emergency responders** Use personal protection recommended in Section 8.

### Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### Precautions to prevent secondary hazards

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: Handling and storage, including how the chemical may be safely used

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Protect from moisture. Keep/store only in original container. Protect from sunlight. Store in a well-ventilated place. Keep away from food, drink and animal feeding stuffs. Keep at temperatures between 5 and 35 °C.

**Incompatible materials** None known based on information supplied.

## Section 8: Exposure controls and personal protection

### Control parameters

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

*OEL as published by Safe Work Australia*

### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** If there is a risk of contact: Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear suitable protective clothing.

**Hand protection** Wear suitable gloves.

# SAFETY DATA SHEET

XTREME FLEX WHITE  
Revision Number 3

Revision date 20-Aug-2019  
Supersedes Date: 10-Jul-2019

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.  
Brown

**Environmental exposure controls** No information available.

## Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

Physical state	Paste / Gel Liquid
Appearance	Very viscous
Color	White
Odor	Characteristic
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point / freezing point	No data available	
Boiling point / boiling range	> 34 °C	
Flash point	> 100 °C	
Evaporation rate	No data available	
Flammability (solid, gas)	Not applicable for liquids .	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	No data available	
Water solubility	Immiscible in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Explosive properties	No information available	
Oxidizing properties	No information available	

### Other information

Solid content (%)	No information available
VOC Content (%)	37.9 g/L
Density	1.58

## Section 10: Stability and reactivity

### Reactivity

**Reactivity** Product cures with moisture.

### Chemical stability

**Stability** Stable under normal conditions.

### **Explosion Data**

**Sensitivity to mechanical impact** None.

# SAFETY DATA SHEET

XTREME FLEX WHITE  
Revision Number 3

Revision date 20-Aug-2019  
Supersedes Date: 10-Jul-2019

**Sensitivity to static discharge** None.

## Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

## Conditions to avoid

**Conditions to avoid** None known based on information supplied.

## Incompatible materials

**Incompatible materials** None known based on information supplied.

## Hazardous decomposition products

**Hazardous decomposition products** None known based on information supplied.

## **Section 11: Toxicological information**

### Acute Toxicity

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

**Symptoms** No information available.

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 62,703.50 mg/kg

ATEmix (inhalation-vapor) 463.10 mg/l

### Component Information

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitization** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** None known.

**Reproductive toxicity** No information available.

# SAFETY DATA SHEET

XTREME FLEX WHITE  
Revision Number 3

Revision date 20-Aug-2019  
Supersedes Date: 10-Jul-2019

STOT - single exposure None under normal use conditions.  
STOT - repeated exposure None under normal use conditions.  
Aspiration hazard Not applicable.

## Section 12: Ecological information

### Ecotoxicity

Ecotoxicity .

### Persistence and degradability

Persistence and degradability No information available.

### Bioaccumulative potential

Bioaccumulation There is no data for this product.

### Component Information

### Mobility

Mobility in soil No information available.

Mobility No information available.

### Other Adverse Effects

Other adverse effects No information available.

Endocrine Disruptor Information .

## Section 13: Disposal considerations

### Waste treatment methods

Waste from residues/unused products Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging Do not reuse empty containers.

## Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
No information available

# SAFETY DATA SHEET

XTREME FLEX WHITE  
Revision Number 3

Revision date 20-Aug-2019  
Supersedes Date: 10-Jul-2019

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National Regulations

##### Australia

See section 8 for national exposure control parameters

##### **Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)**

No poisons schedule number allocated

**Poison Schedule Number** Not applicable

##### **National pollutant inventory**

Subject to reporting requirement

#### International Inventories

<b>AICS</b>	Not Listed	Note : <i>Product is covered by a volume-limited NICNAS exemption.</i>
<b>NZIoC</b>	Not Listed	
<b>ENCS</b>	Not Listed	
<b>IECSC</b>	Not Listed	
<b>KECL</b>	Not Listed	
<b>PICCS</b>	Not Listed	

#### **Legend:**

- AICS** - Australian Inventory of Chemical Substances
- NZIoC** - New Zealand Inventory of Chemicals
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

## Section 16: Any other relevant information

**Prepared By** Product Safety & Regulatory Affairs

**Revision date** 20-Aug-2019

#### **Revision note**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### **Key or legend to abbreviations and acronyms used in the safety data sheet**

#### **Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

# SAFETY DATA SHEET

XTREME FLEX WHITE  
Revision Number 3

Revision date 20-Aug-2019  
Supersedes Date: 10-Jul-2019

---

## Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

## Section 12: Ecological information

EC50 (effective concentration)

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**