

Safety Data Sheet

Page 1 of 5

LOCTITE 55 known as PIPE SEALING CORD 55

SDS No. : 168432 V000.0 Date of issue: 11.08.2016

Section 1. Identification of the substance/preparation and of the company/undertaking		
Product name:	LOCTITE 55 known as PIPE SEALING CORD 55	
Intended use:	Sealant	
Supplier: Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia		
Phone: +61 (3) 9724 6444		
Emergency information:	24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379	
Section 2. Hazards identification		

Classification of the substance or mixture Not hazardous according to the criteria of Safe Work Australia.

No classification required.

Classification of material None

Risk phrases: Not applicable

Safety phrases: Not applicable

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Signal word: None

Section 3. Composition / information on ingredients

General chemical description: Type of preparation: Mixture Coated Nylon Thread

LOCTITE 55 known as PIPE SEALING CORD 55

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
non hazardous ingredients~		60- 100 %

Section 4. First aid measures		
Ingestion:	In case of adverse health effects seek medical advice.	
Skin:	Rinse with running water and soap.	
Eyes:	None expected.	
Inhalation:	No specific treatment is necessary since material is not likely to be hazardous by inhalation.	
First Aid facilities:	Normal washroom facilities	
Medical attention and special treatment:	Treat symptomatically and supportively.	

Section 5. Fire fighting measures

Suitable extinguishing media:	water, carbon dioxide, foam, powder
Improper extinguishing media:	None known
Decomposition products in case of fire::	carbon oxides.
Particular danger in case of fire::	None
Special protective equipment for fire-fighters:	Keep unnecessary personnel away. Wear self-contained breathing apparatus.

Section 6. Accidental release measures	
Personal precautions:	See advice in section 8
Environmental precautions:	No special environmental precautions required.
Clean-up methods:	Dispose of contaminated material as waste according to Section 13.

Section 7. Handling and storage

Precautions for safe handling:No particulConditions for safe storage:Store in a

LOCTITE 55 known as PIPE SEALING CORD 55

Section 8. Exposure controls / personal protection

National exposure standards:

None	
Engineering controls:	Ensure good ventilation/extraction.
Eye protection:	None required in normal use.
Skin protection:	Wear suitable protective clothing. Suitable protective gloves.
Respiratory protection:	If inhalation risk exists, wear a respirator or air supplied mask complying with the requirements of AS/NZS 1715 and AS/NZS 1716.

	Section 9. Physical and chemical properties
A	
Appearance:	white
	paste
Odor:	characteristic
Specific gravity:	1.25
Boiling point:	150 °C (302 °F)
Flash point:	> 93 °C (> 199.4 °F)
(Closed cup)	
Vapor pressure:	< 0 mm hg
(; 20 °C (68 °F))	
Vapor density:	<1
	(Air = 1)
Solubility in water:	Partially soluble (20 °C)
VOC content:	1 % 12.75 g/l

Section 10. Stability and reactivity

Stability:	Stable under recommended storage conditions.
Conditions to avoid:	Stable
Incompatible materials:	Oxidizing agents. Fluorine. Ammonium salts. Heat, sunlight, UV light, contamination or an oxygen free atmosphere.
Hazardous decomposition products:	carbon oxides.

LOCTITE 55 known as PIPE SEALING CORD 55

Section 11. Toxicological information

Health Effects:	
Ingestion:	Not expected to be harmful by ingestion.
Skin:	May cause skin irritation.
Eyes:	May cause irritation.
Inhalation:	Not expected under normal conditions of use.

Toxicity data: No data available.

Section 12. Ecological information

General ecological information:	Do not empty into drains / surface water / ground water.
---------------------------------	--

	Section 13. Disposal considerations
Waste disposal of product:	Dispose of in accordance with local and national regulations.
Disposal for uncleaned package:	Packaging that cannot be cleaned are to be disposed of in the same manner as the product.
Disposal for uncleaned package: Disposal for uncleaned package:	After use, tubes, cartons and bottles containing residual product should be disposed of as
Disposar for uncreaned package.	chemically contaminated waste in an authorised legal land fill site or incinerated.
	Disposal must be made according to official regulations.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

General information:

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

Section 15. Regulatory information

SUSMP Poisons Schedule

None

Section 16. Other information	
Abbreviations/acronyms:	ADGC - Australian Dangerous Goods Code IMDG: International Maritime Dangerous Goods code IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
Reason for issue:	Reviewed MSDS. Reissued with new date. involved chapters: 1 - 16
Date of previous issue:	21.05.2014
Disclaimer:	The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material. The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited disclaims any liability for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet. This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.